

CERTIFICATE OF ANALYSIS

PRODUCED: JUN 22, 2021

SAMPLE: PAPAYA PUNCH (PRE-ROLL) // CLIENT: ALKHEMIST DM LLC // BATCH: PASS



BATCH NO.: GHFPAY0616MP
MATRIX: PRE-ROLL
CATEGORY: INHALABLE
SAMPLE ID: BCL-210616-109
COLLECTED ON: JUN 16, 2021
RECEIVED ON: JUN 16, 2021
BATCH/SAMPLE SIZE: 1100 U / 8 U
PACKAGE SIZE: 2.5 G

CANNABINOID OVERVIEW

TOTAL THC:	21.94343 %
TOTAL CBD:	0.04518 %
TOTAL CANNABINOIDS:	25.5749 %

MANUFACTURER INFO

MANUFACTURER
 MISSION HEALTH ASSOCIATES, INC
 5601 CASITAS PASS RD
 CARPINTERIA, CA 93013

LICENSE
 CCL18-0003034
 ADULT-USE - CULTIVATOR LICENSE

DISTRIBUTOR INFO

DISTRIBUTOR
 ALKHEMIST DM LLC
 1370 ESPERANZA ST, SUITE B
 LOS ANGELES, CA 90023

LICENSE
 C11-0000751-LIC
 ADULT-USE AND MEDICINAL -
 DISTRIBUTOR LICENSE



BCL-03: CANNABINOID POTENCY BY HPLC-UV // JUN 21, 2021

ANALYTE	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
CBC	0.02938 %	0.2938 mg/g	0.01058/0.24038	N/A
BCA	0.21292 %	2.1292 mg/g	0.03029/0.24038	N/A
CBD	ND	ND	0.0149/0.24038	N/A
CBDA	0.05152 %	0.5152 mg/g	0.00769/0.24038	N/A
CBDV	ND	ND	0.01154/0.24038	N/A
CBDVA	ND	ND	0.00769/0.24038	N/A
CBG	0.10433 %	1.0433 mg/g	0.01394/0.24038	N/A
CBGA	0.27380 %	2.7380 mg/g	0.00962/0.24038	N/A
CBN	< LOQ	< LOQ	0.00769/0.24038	N/A
Δ ⁸ -THC	ND	ND	0.02788/0.24038	N/A
Δ ⁹ -THC	1.44481 %	14.4481 mg/g	0.02019/0.24038	N/A
THCA	23.37357 %	233.7357 mg/g	0.01442/0.24038	N/A
THCV	ND	ND	0.01587/0.24038	N/A
THCVA	0.08457 %	0.8457 mg/g	0.01106/0.24038	N/A
TOT THC **	21.94343 %	219.4343 mg/g		N/A
TOT CBD **	0.04518 %	0.4518 mg/g		N/A
CBD/PKG	ND			N/A
Δ ⁹ -THC/PKG	36.12 mg			N/A
TOT CBD/PKG **	1.13 mg			N/A
TOT THC/PKG **	548.59 mg			N/A

BCL-09: TERPENOID TESTING BY HS-GC/FID // JUN 18, 2021

ANALYTE	AMT	AMT	LOD/LOQ (µg/g)	PASS/FAIL
TOTAL TERPENES	0.40817 %	4.0817 mg/g		N/A
β-CARYOPHYLLENE	0.17290 %	1.7290 mg/g	1.85961/135.55383	N/A
LINALOOL	0.08393 %	0.8393 mg/g	0.35929/135.55383	N/A
GUAIOL	0.05781 %	0.5781 mg/g	2.64815/135.55383	N/A
α-HUMULENE	0.05536 %	0.5536 mg/g	0.45455/135.55383	N/A
D-LIMONENE	0.03817 %	0.3817 mg/g	0.24275/135.55383	N/A
β-MYRCENE	< LOQ	< LOQ	0.36846/135.55383	N/A
β-PINENE	< LOQ	< LOQ	2.19449/135.55383	N/A
γ-TERPINENE	ND	ND	0.45753/135.55383	N/A
P-CYMENE	ND	ND	0.26417/135.55383	N/A
ISOPULEGOL	ND	ND	0.52871/135.55383	N/A
GERANIOL	ND	ND	0.28245/135.55383	N/A
α-BISABOLOL	ND	ND	4.22687/135.55383	N/A
EUCALYPTOL	ND	ND	0.45386/135.55383	N/A
Δ ³ -CARENE	ND	ND	0.44676/135.55383	N/A
CAMPHENE	ND	ND	0.21052/135.55383	N/A
β-OCIMENE	ND	ND	0.48528/93.53215	N/A
α-TERPINENE	ND	ND	0.29156/135.55383	N/A
α-PINENE	ND	ND	0.20928/135.55383	N/A
α-OCIMENE	ND	ND	1.30873/42.02169	N/A
TERPINOLENE	ND	ND	0.28668/135.55383	N/A

** TOTAL THC = (THCA X 0.877) + THC
 ** TOTAL CBD = (CBDA X 0.877) + CBD
 DRY-WEIGHT AMOUNTS SHOWN

SAMPLE WAS TESTED AS RECEIVED. ALL LQC SAMPLES REQUIRED BY SECTION 5730 OF CALIFORNIA CODE OF REGULATIONS TITLE 16 DIVISION 42 BUREAU OF CANNABIS CONTROL WERE PERFORMED AND MET THE ACCEPTANCE CRITERIA.

RESULTS CERTIFIED BY: RON BROOKS, M.S.
 LABORATORY DIRECTOR, BELCOSTA LABS
 JUN 22, 2021



REGULATORY COMPLIANCE TESTING

BCL-05: RESIDUAL PESTICIDE ANALYSIS BY LC-MS/MS ESI // JUN 19, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ABAMECTIN	0.1 µg/g	ND	0.01153/0.04	PASS	MALATHION	0.5 µg/g	ND	0.00472/0.02	PASS
ACEPHATE	0.1 µg/g	ND	0.00368/0.02	PASS	METALAXYL	2 µg/g	ND	0.00503/0.02	PASS
ACEQUINOCYL	0.1 µg/g	ND	0.00417/0.02	PASS	METHIOCARB	Any amt	ND	0.00503/0.02	PASS
ACETAMIPRID	0.1 µg/g	ND	0.00464/0.02	PASS	METHOMYL	1 µg/g	ND	0.00494/0.02	PASS
ALDICARB	Any amt	ND	0.01109/0.04	PASS	MEVINPHOS	Any amt	ND		PASS
AZOXYSTROBIN	0.1 µg/g	ND	0.00639/0.02	PASS	MEVINPHOS I		ND	0.00163/0.0084	N/A
BIFENAZATE	0.1 µg/g	ND	0.00355/0.02	PASS	MEVINPHOS II		ND	0.00542/0.0316	N/A
BIFENTHRIN	3 µg/g	ND	0.00473/0.04	PASS	MYCLOBUTANIL	0.1 µg/g	ND	0.00867/0.04	PASS
BOSCALID	0.1 µg/g	ND	0.00494/0.02	PASS	NALED	0.1 µg/g	ND	0.00328/0.02	PASS
CARBARYL	0.5 µg/g	ND	0.00295/0.02	PASS	OXAMYL	0.5 µg/g	ND	0.00455/0.02	PASS
CARBOFURAN	Any amt	ND	0.00613/0.02	PASS	PACLOBUTRAZOL	Any amt	ND	0.00714/0.04	PASS
CHLORANTRANIL-IPROLE	10 µg/g	ND	0.00697/0.04	PASS	PERMETHRIN	0.5 µg/g	ND		PASS
CLOFENTEZINE	0.1 µg/g	ND	0.0054/0.02	PASS	PERMETHRIN CIS		ND	0.00237/0.0082	N/A
COUMAPHOS	Any amt	ND	0.00215/0.02	PASS	PERMETHRIN TRANS		ND	0.00245/0.0118	N/A
CYFLUTHRIN	2 µg/g	ND	0.05508/0.2	PASS	PHOSMET	0.1 µg/g	ND	0.0043/0.02	PASS
CYPERMETHRIN	1 µg/g	ND	0.00556/0.04	PASS	PIPERONYLBUTOXIDE	3 µg/g	ND	0.00247/0.02	PASS
DAMINOZIDE	Any amt	ND	0.00227/0.04	PASS	PRALLETHRIN	0.1 µg/g	ND	0.00392/0.02	PASS
DIAZINON	0.1 µg/g	ND	0.00487/0.02	PASS	PROPICONAZOLE	0.1 µg/g	ND	0.0024/0.02	PASS
DIMETHOATE	Any amt	ND	0.00354/0.02	PASS	PROPOXUR	Any amt	ND	0.00374/0.02	PASS
DIMETHOMORPH	2 µg/g	ND		PASS	PYRETHRINS	0.5 µg/g	ND	0.00726/0.04	PASS
DIMETHOMORPH I		ND	0.00109/0.0078	N/A	PYRIDABEN	0.1 µg/g	ND	0.0034/0.02	PASS
DIMETHOMORPH II		ND	0.0015/0.0122	N/A	SPINETORAM	0.1 µg/g	ND		PASS
ETHOPROPHOS	Any amt	ND	0.0041/0.02	PASS	SPINETORAM J		ND	0.00329/0.016	N/A
ETOFENPROX	Any amt	ND	0.00274/0.02	PASS	SPINETORAM L		ND	0.00157/0.016	N/A
ETOXAZOLE	0.1 µg/g	ND	0.00385/0.02	PASS	SPINOSAD	0.1 µg/g	ND		PASS
FENHEXAMID	0.1 µg/g	ND	0.01055/0.02	PASS	SPINOSAD A		ND	0.00205/0.01438	N/A
FENOXYCARB	Any amt	ND	0.00175/0.02	PASS	SPINOSAD D		ND	0.00104/0.00498	N/A
FENPYROXIMATE	0.1 µg/g	ND	0.00481/0.02	PASS	SPIROMESIFEN	0.1 µg/g	ND	0.00944/0.04	PASS
FIPRONIL	Any amt	ND	0.00478/0.02	PASS	SPIROTETRAMAT	0.1 µg/g	ND	0.00208/0.02	PASS
FLONICAMID	0.1 µg/g	ND	0.00398/0.02	PASS	SPIROXAMINE	Any amt	ND	0.00344/0.02	PASS
FLUDIOXONIL	0.1 µg/g	ND	0.01369/0.04	PASS	TEBUCONAZOLE	0.1 µg/g	ND	0.00816/0.04	PASS
HEXYTHIAZOX	0.1 µg/g	ND	0.00297/0.02	PASS	THIACLOPRID	Any amt	ND	0.0039/0.02	PASS
IMAZALIL	Any amt	ND	0.0056/0.02	PASS	THIAMETHOXAM	5 µg/g	ND	0.00358/0.02	PASS
IMIDACLOPRID	5 µg/g	ND	0.00645/0.02	PASS	TRIFLOXYSTROBIN	0.1 µg/g	ND	0.00421/0.02	PASS
KRESOXIM-METHYL	0.1 µg/g	ND	0.00339/0.02	PASS					

BCL-13: PESTICIDE TESTING BY GC/MS // JUN 19, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CAPTAN	0.7 µg/g	ND	0.01977/0.06	PASS	CHLORPYRIFOS	Any amt	ND	0.01653/0.06	PASS
CHLORDANE	Any amt	ND		PASS	DICHLORVOS	Any amt	ND	0.01165/0.06	PASS
CHLORDANE CIS		ND	0.01199/0.03	N/A	METHYL PARATHION	Any amt	ND	0.00851/0.06	PASS
CHLORDANE TRANS		ND	0.01082/0.03	N/A	PENTACHLORONI-TROBENZENE	0.1 µg/g	ND	0.01282/0.06	PASS
CHLORFENAPYR	Any amt	ND	0.01364/0.06	PASS					



BCL-18: RESIDUAL SOLVENTS ANALYSIS BY HS-GC-MS // JUN 18, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
1,2-DICHLOROETHANE	1 µg/g	ND	0.15292/0.53343	PASS
ACETONE	5000 µg/g	ND	17.21195/53.34282	PASS
ACETONITRILE	410 µg/g	ND	15.27383/53.34282	PASS
BENZENE	1 µg/g	ND	0.06757/0.53343	PASS
BUTANE	5000 µg/g	ND	16.10597/53.34282	PASS
CHLOROFORM	1 µg/g	ND	0.15647/0.53343	PASS
ETHANOL	5000 µg/g	ND	13.20413/53.34282	PASS
ETHYL ACETATE	5000 µg/g	ND	16.30512/53.34282	PASS
ETHYLENE OXIDE	1 µg/g	ND	0.1707/0.53343	PASS
ETHYL ETHER	5000 µg/g	ND	14.36344/53.34282	PASS
HEPTANE	5000 µg/g	ND	12.56757/53.34282	PASS
HEXANE	290 µg/g	ND	19.34922/88.90469	PASS
ISOPROPYL ALCOHOL	5000 µg/g	ND	13.3357/53.34282	PASS
METHANOL	3000 µg/g	ND	11.95946/53.34282	PASS
METHYLENE CHLORIDE	1 µg/g	ND	0.13514/0.53343	PASS
PENTANE	5000 µg/g	ND	29.40967/88.90469	PASS
PROPANE	5000 µg/g	ND	15.19559/53.34282	PASS
TOLUENE	890 µg/g	ND	8.39616/53.34282	PASS
TRICHLOROETHYLENE	1 µg/g	ND	0.07112/0.53343	PASS
O-XYLENE		ND	3.97582/26.67141	N/A
P- AND M-XYLENE		ND	3.68421/26.67141	N/A
TOTAL XYLENES	2170 µg/g	ND		PASS

BCL-11: MYCOTOXIN TESTING BY LC-MS/MS // JUN 19, 2021

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	0.23/4	N/A
AFLATOXIN B2		ND	0.181/4	N/A
AFLATOXIN G1		ND	0.155/4	N/A
AFLATOXIN G2		ND	0.934/4	N/A
AFLATOXINS	20 µg/kg	ND		PASS
OCHRATOXIN A	20 µg/kg	ND	0.385/4	PASS

BCL-12: WATER ACTIVITY BY HUMIDITY EQUILIBRIUM // JUN 17, 2021

ANALYTE	LIMIT	AMT (Aw)	PASS/FAIL
WATER ACTIVITY	0.65 Aw	0.55	PASS

BCL-07: FOREIGN MATERIAL TESTING BY MICROSCOPY // JUN 17, 2021

ANALYTE	LIMIT	AMT (%)	PASS/FAIL
IMBEDDED FOREIGN MATERIAL	25 %	ND	PASS
INSECT FRAGMENTS, HAIR, MAMMAL EXCREMENT	1 Unit	ND	PASS
MOLD	25 %	ND	PASS
SAND, SOIL, CINDERS, DIRT	25 %	ND	PASS

BCL-06: MICROBIOLOGICAL ANALYSIS BY QPCR // JUN 18, 2021

ANALYTE	LIMIT	AMT (CFU)	PASS/FAIL
ASPERGILLUS FLAVUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS FUMIGATUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS NIGER	Any amt in 1 gram	ND	PASS
ASPERGILLUS TERREUS	Any amt in 1 gram	ND	PASS
ESCHERICHIA COLI	Any amt in 1 gram	ND	PASS
SALMONELLA SPP.	Any amt in 1 gram	ND	PASS

BCL-020: HEAVY METAL TESTING BY ICP-MS // JUN 18, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ARSENIC	0.2 µg/g	< LOQ	0.001/0.05	PASS
CADMIUM	0.2 µg/g	< LOQ	0.0002/0.05	PASS
LEAD	0.5 µg/g	0.061	0.0003/0.05	PASS
MERCURY	0.1 µg/g	< LOQ	0.0001/0.01	PASS

BCL-02: MOISTURE CONTENT BY GRAVIMETRY // JUN 17, 2021

ANALYTE	LIMIT	AMT (%)	PASS/FAIL
MOISTURE		9.50	N/A

