

CERTIFICATE OF ANALYSIS

PRODUCED: JUN 29, 2021

SAMPLE: MAC 1 (PRE-ROLL) // CLIENT: ALKHEMIST DM LLC // BATCH: PASS
5 X 0.5G PREROLLS PER UNIT



BATCH NO.: GHFMAC0622MP
MATRIX: PRE-ROLL
CATEGORY: INHALABLE
SAMPLE ID: BCL-210625-149
COLLECTED ON: JUN 25, 2021
RECEIVED ON: JUN 25, 2021
BATCH/SAMPLE SIZE: 1430 U / 13 U
PACKAGE SIZE: 2.5 G

CANNABINOID OVERVIEW

TOTAL THC:	23.009 %
TOTAL CBD:	0.04189 %
TOTAL CANNABINOIDS:	28.32758 %

MANUFACTURER INFO

MANUFACTURER
MISSION HEALTH ASSOCIATES, INC
5601 CASITAS PASS RD
CARPINTERIA, CA 93013

LICENSE
CCL18-0003034
ADULT-USE - CULTIVATOR LICENSE

DISTRIBUTOR INFO

DISTRIBUTOR
ALKHEMIST DM LLC
1370 ESPERANZA ST, SUITE B
LOS ANGELES, CA 90023

LICENSE
C11-0000751-LIC
ADULT-USE AND MEDICINAL -
DISTRIBUTOR LICENSE



BCL-03: CANNABINOID POTENCY BY HPLC-UV // JUN 29, 2021

ANALYTE	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
CBC	0.07336 %	0.7336 mg/g	0.01009/0.2294	N/A
CBCA	0.60541 %	6.0541 mg/g	0.0289/0.2294	N/A
CBD	ND	ND	0.01422/0.2294	N/A
CBDA	0.04777 %	0.4777 mg/g	0.00734/0.2294	N/A
CBDV	0.02360 %	0.2360 mg/g	0.01101/0.2294	N/A
CBDVA	ND	ND	0.00734/0.2294	N/A
CBG	0.06933 %	0.6933 mg/g	0.01331/0.2294	N/A
CBGA	1.28286 %	12.8286 mg/g	0.00918/0.2294	N/A
CBN	ND	ND	0.00734/0.2294	N/A
Δ ⁸ -THC	ND	ND	0.02661/0.2294	N/A
Δ ⁹ -THC	1.21709 %	12.1709 mg/g	0.01927/0.2294	N/A
THCA	24.84824 %	248.4824 mg/g	0.01376/0.2294	N/A
THCV	ND	ND	0.01514/0.2294	N/A
THCVA	0.15992 %	1.5992 mg/g	0.01055/0.2294	N/A
TOT THC **	23.00900 %	230.0900 mg/g		N/A
TOT CBD **	0.04189 %	0.4189 mg/g		N/A
CBD/PKG	ND			N/A
Δ ⁹ -THC/PKG	30.43 mg			N/A
TOT CBD/PKG **	1.05 mg			N/A
TOT THC/PKG **	575.23 mg			N/A

BCL-09: TERPENOID TESTING BY HS-GC/FID // JUN 27, 2021

ANALYTE	AMT	AMT	LOD/LOQ (µg/g)	PASS/FAIL
TOTAL TERPENES	0.60743 %	6.0743 mg/g		N/A
β-CARYOPHYLLENE	0.14801 %	1.4801 mg/g	1.85315/135.08298	N/A
D-LIMONENE	0.15540 %	1.5540 mg/g	0.24191/135.08298	N/A
LINALOOL	0.09066 %	0.9066 mg/g	0.35804/135.08298	N/A
α-BISABOLOL	0.08968 %	0.8968 mg/g	4.21218/135.08298	N/A
α-HUMULENE	0.05885 %	0.5885 mg/g	0.45297/135.08298	N/A
β-PINENE	0.02619 %	0.2619 mg/g	2.18687/135.08298	N/A
α-PINENE	0.02123 %	0.2123 mg/g	0.20855/135.08298	N/A
β-MYRCENE	0.01741 %	0.1741 mg/g	0.36718/135.08298	N/A
β-OCIMENE	< LOQ	< LOQ	0.4836/93.20726	N/A
CAMPHENE	< LOQ	< LOQ	0.20978/135.08298	N/A
α-TERPINENE	ND	ND	0.29055/135.08298	N/A
Δ ³ -CARENE	ND	ND	0.44521/135.08298	N/A
EUCALYPTOL	ND	ND	0.45228/135.08298	N/A
γ-TERPINENE	ND	ND	0.45595/135.08298	N/A
GERANIOL	ND	ND	0.28147/135.08298	N/A
GUAIOL	ND	ND	2.63895/135.08298	N/A
ISOPULEGOL	ND	ND	0.52688/135.08298	N/A
α-OCIMENE	ND	ND	1.30419/41.87572	N/A
P-CYMELE	ND	ND	0.26325/135.08298	N/A
TERPINOLENE	ND	ND	0.28569/135.08298	N/A

** TOTAL THC = (THCA X 0.877) + THC
** TOTAL CBD = (CBDA X 0.877) + CBD
DRY-WEIGHT AMOUNTS SHOWN

SAMPLE WAS TESTED AS RECEIVED. ALL LQC SAMPLES REQUIRED BY SECTION 5730 OF CALIFORNIA CODE OF REGULATIONS TITLE 16 DIVISION 42 BUREAU OF CANNABIS CONTROL WERE PERFORMED AND MET THE ACCEPTANCE CRITERIA.

RESULTS CERTIFIED BY: RON BROOKS, M.S.
LABORATORY DIRECTOR, BELCOSTA LABS
JUN 29, 2021



REGULATORY COMPLIANCE TESTING

BCL-05: RESIDUAL PESTICIDE ANALYSIS BY LC-MS/MS ESI // JUN 29, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ABAMECTIN	0.1 µg/g	ND	0.01153/0.04	PASS	MALATHION	0.5 µg/g	ND	0.00472/0.02	PASS
ACEPHATE	0.1 µg/g	ND	0.00368/0.02	PASS	METALAXYL	2 µg/g	ND	0.00503/0.02	PASS
ACEQUINOCYL	0.1 µg/g	ND	0.00417/0.02	PASS	METHIOCARB	Any amt	ND	0.00503/0.02	PASS
ACETAMIPRID	0.1 µg/g	ND	0.00464/0.02	PASS	METHOMYL	1 µg/g	ND	0.00494/0.02	PASS
ALDICARB	Any amt	ND	0.01109/0.04	PASS	MEVINPHOS	Any amt	ND		PASS
AZOXYSTROBIN	0.1 µg/g	ND	0.00639/0.02	PASS	MEVINPHOS I		ND	0.00163/0.0084	N/A
BIFENAZATE	0.1 µg/g	ND	0.00355/0.02	PASS	MEVINPHOS II		ND	0.00542/0.0316	N/A
BIFENTHRIN	3 µg/g	ND	0.00473/0.04	PASS	MYCLOBUTANIL	0.1 µg/g	ND	0.00867/0.04	PASS
BOSCALID	0.1 µg/g	ND	0.00494/0.02	PASS	NALED	0.1 µg/g	ND	0.00328/0.02	PASS
CARBARYL	0.5 µg/g	ND	0.00295/0.02	PASS	OXAMYL	0.5 µg/g	ND	0.00455/0.02	PASS
CARBOFURAN	Any amt	ND	0.00613/0.02	PASS	PACLOBUTRAZOL	Any amt	ND	0.00714/0.04	PASS
CHLORANTRANIL-IPROLE	10 µg/g	ND	0.00697/0.04	PASS	PERMETHRIN	0.5 µg/g	ND		PASS
CLOFENTEZINE	0.1 µg/g	ND	0.0054/0.02	PASS	PERMETHRIN CIS		ND	0.00237/0.0082	N/A
COUMAPHOS	Any amt	ND	0.00215/0.02	PASS	PERMETHRIN TRANS		ND	0.00245/0.0118	N/A
CYFLUTHRIN	2 µg/g	ND	0.05508/0.2	PASS	PHOSMET	0.1 µg/g	ND	0.0043/0.02	PASS
CYPERMETHRIN	1 µg/g	ND	0.00556/0.04	PASS	PIPERONYLBUTOXIDE	3 µg/g	ND	0.00247/0.02	PASS
DAMINOZIDE	Any amt	ND	0.00227/0.04	PASS	PRALLETHRIN	0.1 µg/g	ND	0.00392/0.02	PASS
DIAZINON	0.1 µg/g	ND	0.00487/0.02	PASS	PROPICONAZOLE	0.1 µg/g	ND	0.0024/0.02	PASS
DIMETHOATE	Any amt	ND	0.00354/0.02	PASS	PROPOXUR	Any amt	ND	0.00374/0.02	PASS
DIMETHOMORPH	2 µg/g	ND		PASS	PYRETHRINS	0.5 µg/g	ND	0.00726/0.04	PASS
DIMETHOMORPH I		ND	0.00109/0.0078	N/A	PYRIDABEN	0.1 µg/g	ND	0.0034/0.02	PASS
DIMETHOMORPH II		ND	0.0015/0.0122	N/A	SPINETORAM	0.1 µg/g	ND		PASS
ETHOPROPHOS	Any amt	ND	0.0041/0.02	PASS	SPINETORAM J		ND	0.00329/0.016	N/A
ETOFENPROX	Any amt	ND	0.00274/0.02	PASS	SPINETORAM L		ND	0.00157/0.016	N/A
ETOXAZOLE	0.1 µg/g	ND	0.00385/0.02	PASS	SPINOSAD	0.1 µg/g	ND		PASS
FENHEXAMID	0.1 µg/g	ND	0.01055/0.02	PASS	SPINOSAD A		ND	0.00205/0.01438	N/A
FENOXYCARB	Any amt	ND	0.00175/0.02	PASS	SPINOSAD D		ND	0.00104/0.00498	N/A
FENPYROXIMATE	0.1 µg/g	ND	0.00481/0.02	PASS	SPIROMESIFEN	0.1 µg/g	ND	0.00944/0.04	PASS
FIPRONIL	Any amt	ND	0.00478/0.02	PASS	SPIROTETRAMAT	0.1 µg/g	ND	0.00208/0.02	PASS
FLONICAMID	0.1 µg/g	ND	0.00398/0.02	PASS	SPIROXAMINE	Any amt	ND	0.00344/0.02	PASS
FLUDIOXONIL	0.1 µg/g	ND	0.01369/0.04	PASS	TEBUCONAZOLE	0.1 µg/g	ND	0.00816/0.04	PASS
HEXYTHIAZOX	0.1 µg/g	ND	0.00297/0.02	PASS	THIACLOPRID	Any amt	ND	0.0039/0.02	PASS
IMAZALIL	Any amt	ND	0.0056/0.02	PASS	THIAMETHOXAM	5 µg/g	ND	0.00358/0.02	PASS
IMIDACLOPRID	5 µg/g	ND	0.00645/0.02	PASS	TRIFLOXYSTROBIN	0.1 µg/g	ND	0.00421/0.02	PASS
KRESOXIM-METHYL	0.1 µg/g	ND	0.00339/0.02	PASS					

BCL-13: PESTICIDE TESTING BY GC/MS // JUN 29, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CAPTAN	0.7 µg/g	ND	0.01977/0.06	PASS	CHLORPYRIFOS	Any amt	ND	0.01653/0.06	PASS
CHLORDANE	Any amt	ND		PASS	DICHLORVOS	Any amt	ND	0.01165/0.06	PASS
CHLORDANE CIS		ND	0.01199/0.03	N/A	METHYL PARATHION	Any amt	ND	0.00851/0.06	PASS
CHLORDANE TRANS		ND	0.01082/0.03	N/A	PENTACHLORONI-TROBENZENE	0.1 µg/g	ND	0.01282/0.06	PASS
CHLORFENAPYR	Any amt	ND	0.01364/0.06	PASS					



BCL-18: RESIDUAL SOLVENTS ANALYSIS BY HS-GC-MS // JUN 28, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
1,2-DICHLOROETHANE	1 µg/g	ND	0.16771/0.58502	PASS
ACETONE	5000 µg/g	ND	18.87676/58.50234	PASS
ACETONITRILE	410 µg/g	ND	16.75117/58.50234	PASS
BENZENE	1 µg/g	ND	0.0741/0.58502	PASS
BUTANE	5000 µg/g	ND	17.66381/58.50234	PASS
CHLOROFORM	1 µg/g	ND	0.17161/0.58502	PASS
ETHANOL	5000 µg/g	ND	14.48128/58.50234	PASS
ETHYL ACETATE	5000 µg/g	ND	17.88222/58.50234	PASS
ETHYLENE OXIDE	1 µg/g	ND	0.18721/0.58502	PASS
ETHYL ETHER	5000 µg/g	ND	15.75273/58.50234	PASS
HEPTANE	5000 µg/g	ND	13.78315/58.50234	PASS
HEXANE	290 µg/g	ND	21.22075/97.5039	PASS
ISOPROPYL ALCOHOL	5000 µg/g	< LOQ	14.62559/58.50234	PASS
METHANOL	3000 µg/g	ND	13.11622/58.50234	PASS
METHYLENE CHLORIDE	1 µg/g	ND	0.14821/0.58502	PASS
PENTANE	5000 µg/g	ND	32.25429/97.5039	PASS
PROPANE	5000 µg/g	ND	16.66537/58.50234	PASS
TOLUENE	890 µg/g	ND	9.20827/58.50234	PASS
TRICHLOROETHYLENE	1 µg/g	ND	0.078/0.58502	PASS
O-XYLENE		ND	4.36037/29.25117	N/A
P- AND M-XYLENE		ND	4.04056/29.25117	N/A
TOTAL XYLENES	2170 µg/g	ND		PASS

BCL-11: MYCOTOXIN TESTING BY LC-MS/MS // JUN 29, 2021

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	0.23/4	N/A
AFLATOXIN B2		ND	0.181/4	N/A
AFLATOXIN G1		ND	0.155/4	N/A
AFLATOXIN G2		ND	0.934/4	N/A
AFLATOXINS	20 µg/kg	ND		PASS
OCHRATOXIN A	20 µg/kg	ND	0.385/4	PASS

BCL-12: WATER ACTIVITY BY HUMIDITY EQUILIBRIUM // JUN 28, 2021

ANALYTE	LIMIT	AMT (Aw)	PASS/FAIL
WATER ACTIVITY	0.65 Aw	0.61	PASS

BCL-07: FOREIGN MATERIAL TESTING BY MICROSCOPY // JUN 26, 2021

ANALYTE	LIMIT	AMT (%)	PASS/FAIL
IMBEDDED FOREIGN MATERIAL	25 %	ND	PASS
INSECT FRAGMENTS, HAIR, MAMMAL EXCREMENT	1 Unit	ND	PASS
MOLD	25 %	ND	PASS
SAND, SOIL, CINDERS, DIRT	25 %	ND	PASS

BCL-06: MICROBIOLOGICAL ANALYSIS BY QPCR // JUN 27, 2021

ANALYTE	LIMIT	AMT (CFU)	PASS/FAIL
ASPERGILLUS FLAVUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS FUMIGATUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS NIGER	Any amt in 1 gram	ND	PASS
ASPERGILLUS TERREUS	Any amt in 1 gram	ND	PASS
ESCHERICHIA COLI	Any amt in 1 gram	ND	PASS
SALMONELLA SPP.	Any amt in 1 gram	ND	PASS

BCL-020: HEAVY METAL TESTING BY ICP-MS // JUN 28, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ARSENIC	0.2 µg/g	< LOQ	0.001/0.05	PASS
CADMIUM	0.2 µg/g	< LOQ	0.0002/0.05	PASS
LEAD	0.5 µg/g	< LOQ	0.0003/0.05	PASS
MERCURY	0.1 µg/g	< LOQ	0.0001/0.01	PASS

BCL-02: MOISTURE CONTENT BY GRAVIMETRY // JUN 28, 2021

ANALYTE	LIMIT	AMT (%)	PASS/FAIL
MOISTURE		10.00	N/A

