

CERTIFICATE OF ANALYSIS

PRODUCED: JUL 09, 2021

SAMPLE: GG4 (PRE-ROLL) // CLIENT: ALKHEMIST DM LLC // BATCH: PASS



BATCH NO.: GHFGG40630PR
METRC UID: 1A406030000A308000001109
MATRIX: PRE-ROLL
CATEGORY: INHALABLE
SAMPLE ID: BCL-210702-191
COLLECTED ON: JUL 02, 2021
RECEIVED ON: JUL 02, 2021
BATCH/SAMPLE SIZE: 4700 U / 20 U
PACKAGE SIZE: 1 G

CANNABINOID OVERVIEW

TOTAL THC:	20.34937 %
TOTAL CBD:	0.03841 %
TOTAL CANNABINOIDS:	23.83956 %

MANUFACTURER INFO

MANUFACTURER
 MISSION HEALTH ASSOCIATES, INC
 5601 CASITAS PASS RD
 CARPINTERIA, CA 93013

LICENSE
 CCL18-0003034
 ADULT-USE - CULTIVATOR LICENSE

DISTRIBUTOR INFO

DISTRIBUTOR
 ALKHEMIST DM LLC
 1370 ESPERANZA ST, SUITE B
 LOS ANGELES, CA 90023

LICENSE
 C11-0000751-LIC
 ADULT-USE AND MEDICINAL -
 DISTRIBUTOR LICENSE



BCL-03: CANNABINOID POTENCY BY HPLC-UV // JUL 07, 2021

ANALYTE	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
CBC	0.04019 %	0.4019 mg/g	0.01084/0.2464	N/A
CBCA	0.27897 %	2.7897 mg/g	0.03105/0.2464	N/A
CBD	ND	ND	0.01528/0.2464	N/A
CBDA	0.04380 %	0.4380 mg/g	0.00788/0.2464	N/A
CBDV	ND	ND	0.01183/0.2464	N/A
CBDVA	ND	ND	0.00788/0.2464	N/A
CBG	0.03923 %	0.3923 mg/g	0.01429/0.2464	N/A
CBGA	0.29738 %	2.9738 mg/g	0.00986/0.2464	N/A
CBN	ND	ND	0.00788/0.2464	N/A
Δ ⁸ -THC	ND	ND	0.02858/0.2464	N/A
Δ ⁹ -THC	1.09805 %	10.9805 mg/g	0.0207/0.2464	N/A
THCA	21.95133 %	219.5133 mg/g	0.01478/0.2464	N/A
THCV	ND	ND	0.01626/0.2464	N/A
THCVA	0.09061 %	0.9061 mg/g	0.01133/0.2464	N/A
TOT THC **	20.34937 %	203.4937 mg/g		N/A
TOT CBD **	0.03841 %	0.3841 mg/g		N/A
CBD/PKG	ND			N/A
Δ ⁹ -THC/PKG	10.98 mg			N/A
TOT CBD/PKG **	0.38 mg			N/A
TOT THC/PKG **	203.49 mg			N/A

BCL-09: TERPENOID TESTING BY HS-GC/FID // JUL 05, 2021

ANALYTE	AMT	AMT	LOD/LOQ (µg/g)	PASS/FAIL
TOTAL TERPENES	0.98312 %	9.8312 mg/g		N/A
β-CARYOPHYLLENE	0.52079 %	5.2079 mg/g	1.85315/135.08298	N/A
α-HUMULENE	0.18845 %	1.8845 mg/g	0.45297/135.08298	N/A
D-LIMONENE	0.11718 %	1.1718 mg/g	0.24191/135.08298	N/A
α-BISABOLOL	0.06372 %	0.6372 mg/g	4.21218/135.08298	N/A
β-MYRCENE	0.03908 %	0.3908 mg/g	0.36718/135.08298	N/A
LINALOOL	0.03670 %	0.3670 mg/g	0.35804/135.08298	N/A
β-PINENE	0.01720 %	0.1720 mg/g	2.18687/135.08298	N/A
α-PINENE	< LOQ	< LOQ	0.20855/135.08298	N/A
GERANIOL	< LOQ	< LOQ	0.28147/135.08298	N/A
α-TERPINENE	ND	ND	0.29055/135.08298	N/A
β-OCIMENE	ND	ND	0.4836/93.20726	N/A
CAMPHENE	ND	ND	0.20978/135.08298	N/A
α-OCIMENE	ND	ND	1.30419/41.87572	N/A
Δ ³ -CARENE	ND	ND	0.44521/135.08298	N/A
EUCALYPTOL	ND	ND	0.45228/135.08298	N/A
γ-TERPINENE	ND	ND	0.45595/135.08298	N/A
GUAIOL	ND	ND	2.63895/135.08298	N/A
ISOPULEGOL	ND	ND	0.52688/135.08298	N/A
P-CYMENE	ND	ND	0.26325/135.08298	N/A
TERPINOLENE	ND	ND	0.28569/135.08298	N/A

** TOTAL THC = (THCA X 0.877) + THC
 ** TOTAL CBD = (CBDA X 0.877) + CBD
 DRY-WEIGHT AMOUNTS SHOWN



SAMPLE WAS TESTED AS RECEIVED. ALL LQC SAMPLES REQUIRED BY SECTION 5730 OF CALIFORNIA CODE OF REGULATIONS TITLE 16 DIVISION 42 BUREAU OF CANNABIS CONTROL WERE PERFORMED AND MET THE ACCEPTANCE CRITERIA.

RESULTS CERTIFIED BY: RON BROOKS, M.S.
 LABORATORY DIRECTOR, BELCOSTA LABS
 JUL 09, 2021

BCL-13: PESTICIDE TESTING BY GC/MS // JUL 07, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CAPTAN	0.7 µg/g	ND	0.01977/0.06	PASS
CHLORDANE	Any amt	ND		PASS
CHLORDANE CIS		ND	0.01199/0.03	N/A
CHLORDANE TRANS		ND	0.01082/0.03	N/A
CHLORFENAPYR	Any amt	ND	0.01364/0.06	PASS

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CHLORPYRIFOS	Any amt	ND	0.01653/0.06	PASS
DICHLORVOS	Any amt	ND	0.01165/0.06	PASS
METHYL PARATHION	Any amt	ND	0.00851/0.06	PASS
PENTACHLORONI-TROBENZENE	0.1 µg/g	ND	0.01282/0.06	PASS

BCL-05: RESIDUAL PESTICIDE ANALYSIS BY LC-MS/MS ESI // JUL 09, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ABAMECTIN	0.1 µg/g	ND	0.01153/0.04	PASS
ACEPHATE	0.1 µg/g	ND	0.00368/0.02	PASS
ACEQUINOCYL	0.1 µg/g	ND	0.00417/0.02	PASS
ACETAMIPRID	0.1 µg/g	ND	0.00464/0.02	PASS
ALDICARB	Any amt	ND	0.01109/0.04	PASS
AZOXYSTROBIN	0.1 µg/g	ND	0.00639/0.02	PASS
BIFENAZATE	0.1 µg/g	ND	0.00355/0.02	PASS
BIFENTHRIN	3 µg/g	ND	0.00473/0.04	PASS
BOSCALID	0.1 µg/g	ND	0.00494/0.02	PASS
CARBARYL	0.5 µg/g	ND	0.00295/0.02	PASS
CARBOFURAN	Any amt	ND	0.00613/0.02	PASS
CHLORANTRANIL-IPROLE	10 µg/g	ND	0.00697/0.04	PASS
CLOFENTEZINE	0.1 µg/g	ND	0.0054/0.02	PASS
COUMAPHOS	Any amt	ND	0.00215/0.02	PASS
CYFLUTHRIN	2 µg/g	ND	0.05508/0.2	PASS
CYPERMETHRIN	1 µg/g	ND	0.00556/0.04	PASS
DAMINOZIDE	Any amt	ND	0.00227/0.04	PASS
DIAZINON	0.1 µg/g	ND	0.00487/0.02	PASS
DIMETHOATE	Any amt	ND	0.00354/0.02	PASS
DIMETHOMORPH	2 µg/g	ND		PASS
DIMETHOMORPH I		ND	0.00109/0.0078	N/A
DIMETHOMORPH II		ND	0.0015/0.0122	N/A
ETHOPROPHOS	Any amt	ND	0.0041/0.02	PASS
ETOFENPROX	Any amt	ND	0.00274/0.02	PASS
ETOXAZOLE	0.1 µg/g	ND	0.00385/0.02	PASS
FENHEXAMID	0.1 µg/g	ND	0.01055/0.02	PASS
FENOXYCARB	Any amt	ND	0.00175/0.02	PASS
FENPYROXIMATE	0.1 µg/g	ND	0.00481/0.02	PASS
FIPRONIL	Any amt	ND	0.00478/0.02	PASS
FLONICAMID	0.1 µg/g	ND	0.00398/0.02	PASS
FLUDIOXONIL	0.1 µg/g	ND	0.01369/0.04	PASS
HEXYTHIAZOX	0.1 µg/g	ND	0.00297/0.02	PASS
IMAZALIL	Any amt	ND	0.0056/0.02	PASS
IMIDACLOPRID	5 µg/g	ND	0.00645/0.02	PASS
KRESOXIM-METHYL	0.1 µg/g	ND	0.00339/0.02	PASS

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
MALATHION	0.5 µg/g	ND	0.00472/0.02	PASS
METALAXYL	2 µg/g	ND	0.00503/0.02	PASS
METHIOCARB	Any amt	ND	0.00503/0.02	PASS
METHOMYL	1 µg/g	ND	0.00494/0.02	PASS
MEVINPHOS	Any amt	ND		PASS
MEVINPHOS I		ND	0.00163/0.0084	N/A
MEVINPHOS II		ND	0.00542/0.0316	N/A
MYCLOBUTANIL	0.1 µg/g	ND	0.00867/0.04	PASS
NALED	0.1 µg/g	ND	0.00328/0.02	PASS
OXAMYL	0.5 µg/g	ND	0.00455/0.02	PASS
PACLOBUTRAZOL	Any amt	ND	0.00714/0.04	PASS
PERMETHRIN	0.5 µg/g	ND		PASS
PERMETHRIN CIS		ND	0.00237/0.0082	N/A
PERMETHRIN TRANS		ND	0.00245/0.0118	N/A
PHOSMET	0.1 µg/g	ND	0.0043/0.02	PASS
PIPERONYLBUTOXIDE	3 µg/g	ND	0.00247/0.02	PASS
PRALLETHRIN	0.1 µg/g	ND	0.00392/0.02	PASS
PROPICONAZOLE	0.1 µg/g	ND	0.0024/0.02	PASS
PROPOXUR	Any amt	ND	0.00374/0.02	PASS
PYRETHRINS	0.5 µg/g	ND	0.00726/0.04	PASS
PYRIDABEN	0.1 µg/g	ND	0.0034/0.02	PASS
SPINETORAM	0.1 µg/g	ND		PASS
SPINETORAM J		ND	0.00329/0.016	N/A
SPINETORAM L		ND	0.00157/0.016	N/A
SPINOSAD	0.1 µg/g	ND		PASS
SPINOSAD A		ND	0.00205/0.01438	N/A
SPINOSAD D		ND	0.00104/0.00498	N/A
SPIROMESIFEN	0.1 µg/g	ND	0.00944/0.04	PASS
SPIROTETRAMAT	0.1 µg/g	ND	0.00208/0.02	PASS
SPIROXAMINE	Any amt	ND	0.00344/0.02	PASS
TEBUCONAZOLE	0.1 µg/g	ND	0.00816/0.04	PASS
THIACLOPRID	Any amt	ND	0.0039/0.02	PASS
THIAMETHOXAM	5 µg/g	ND	0.00358/0.02	PASS
TRIFLOXYSTROBIN	0.1 µg/g	ND	0.00421/0.02	PASS



BCL-18: RESIDUAL SOLVENTS ANALYSIS BY HS-GC-MS // JUL 05, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
1,2-DICHLOROETHANE	1 µg/g	ND	0.17023/0.59382	PASS
ACETONE	5000 µg/g	ND	19.16073/59.38242	PASS
ACETONITRILE	410 µg/g	ND	17.00317/59.38242	PASS
BENZENE	1 µg/g	ND	0.07522/0.59382	PASS
BUTANE	5000 µg/g	ND	17.92953/59.38242	PASS
CHLOROFORM	1 µg/g	ND	0.17419/0.59382	PASS
ETHANOL	5000 µg/g	ND	14.69913/59.38242	PASS
ETHYL ACETATE	5000 µg/g	ND	18.15123/59.38242	PASS
ETHYLENE OXIDE	1 µg/g	ND	0.19002/0.59382	PASS
ETHYL ETHER	5000 µg/g	ND	15.98971/59.38242	PASS
HEPTANE	5000 µg/g	ND	13.9905/59.38242	PASS
HEXANE	290 µg/g	ND	21.53998/98.9707	PASS
ISOPROPYL ALCOHOL	5000 µg/g	< LOQ	14.84561/59.38242	PASS
METHANOL	3000 µg/g	ND	13.31354/59.38242	PASS
METHYLENE CHLORIDE	1 µg/g	ND	0.15044/0.59382	PASS
PENTANE	5000 µg/g	ND	32.73951/98.9707	PASS
PROPANE	5000 µg/g	ND	16.91607/59.38242	PASS
TOLUENE	890 µg/g	ND	9.34679/59.38242	PASS
TRICHLOROETHYLENE	1 µg/g	ND	0.07918/0.59382	PASS
O-XYLENE		ND	4.42597/29.69121	N/A
P- AND M-XYLENE		ND	4.10135/29.69121	N/A
TOTAL XYLENES	2170 µg/g	ND		PASS

BCL-11: MYCOTOXIN TESTING BY LC-MS/MS // JUL 09, 2021

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	0.23/4	N/A
AFLATOXIN B2		ND	0.181/4	N/A
AFLATOXIN G1		ND	0.155/4	N/A
AFLATOXIN G2		ND	0.934/4	N/A
AFLATOXINS	20 µg/kg	ND		PASS
OCHRATOXIN A	20 µg/kg	ND	0.385/4	PASS

BCL-12: WATER ACTIVITY BY HUMIDITY EQUILIBRIUM // JUL 06, 2021

ANALYTE	LIMIT	AMT (Aw)	PASS/FAIL
WATER ACTIVITY	0.65 Aw	0.58	PASS

BCL-07: FOREIGN MATERIAL TESTING BY MICROSCOPY // JUL 03, 2021

ANALYTE	LIMIT	AMT (%)	PASS/FAIL
IMBEDDED FOREIGN MATERIAL	25 %	ND	PASS
INSECT FRAGMENTS, HAIR, MAMMAL EXCREMENT	1 Unit	ND	PASS
MOLD	25 %	ND	PASS
SAND, SOIL, CINDERS, DIRT	25 %	ND	PASS

BCL-06: MICROBIOLOGICAL ANALYSIS BY QPCR // JUL 05, 2021

ANALYTE	LIMIT	AMT (CFU)	PASS/FAIL
ASPERGILLUS FLAVUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS FUMIGATUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS NIGER	Any amt in 1 gram	ND	PASS
ASPERGILLUS TERREUS	Any amt in 1 gram	ND	PASS
ESCHERICHIA COLI	Any amt in 1 gram	ND	PASS
SALMONELLA SPP.	Any amt in 1 gram	ND	PASS

BCL-020: HEAVY METAL TESTING BY ICP-MS // JUL 06, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ARSENIC	0.2 µg/g	< LOQ	0.001/0.05	PASS
CADMIUM	0.2 µg/g	< LOQ	0.0002/0.05	PASS
LEAD	0.5 µg/g	< LOQ	0.0003/0.05	PASS
MERCURY	0.1 µg/g	< LOQ	0.0001/0.01	PASS

BCL-02: MOISTURE CONTENT BY GRAVIMETRY // JUL 05, 2021

ANALYTE	LIMIT	AMT (%)	PASS/FAIL
MOISTURE		12.70	N/A

