

CERTIFICATE OF ANALYSIS

PRODUCED: JUL 25, 2021

SAMPLE: HELLFIRE (FLOWER) // CLIENT: GLASS HOUSE BRANDS // BATCH: PASS



BATCH NO.: GHFHF0722SMB
MATRIX: FLOWER
CATEGORY: INHALABLE
SAMPLE ID: BCL-210722-033
COLLECTED ON: JUL 22, 2021
RECEIVED ON: JUL 22, 2021
BATCH/SAMPLE SIZE: 7461.59 G / 27 G

CANNABINOID OVERVIEW

TOTAL THC:	23.82566 %
TOTAL CBD:	0.09287 %
TOTAL CANNABINOIDS:	29.00853 %

CULTIVATOR INFO

CULTIVATOR
 MISSION HEALTH ASSOCIATES, INC.
 5601 CASITAS PASS RD
 CARPENTERIA, CA 93013

LICENSE
 CCL18-0003034
 ADULT-USE - CULTIVATOR LICENSE

DISTRIBUTOR INFO

DISTRIBUTOR
 CA MANUFACTURING SOLUTIONS, LLC
 1637 W CENTRAL AVE
 LOMPOC, CA 93436

LICENSE
 C11-0000031-LIC
 ADULT-USE AND MEDICINAL -
 DISTRIBUTOR LICENSE



BCL-03: CANNABINOID POTENCY BY HPLC-UV // JUL 24, 2021

ANALYTE	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
CBC	ND	ND	0.01042/0.23692	N/A
CBCA	0.75605 %	7.5605 mg/g	0.02985/0.23692	N/A
CBD	ND	ND	0.01469/0.23692	N/A
CBDA	0.10589 %	1.0589 mg/g	0.00758/0.23692	N/A
CBDV	ND	ND	0.01137/0.23692	N/A
CBDVA	< LOQ	< LOQ	0.00758/0.23692	N/A
CBG	0.08559 %	0.8559 mg/g	0.01374/0.23692	N/A
CBGA	0.85762 %	8.5762 mg/g	0.00948/0.23692	N/A
CBN	ND	ND	0.00758/0.23692	N/A
Δ ⁸ -THC	ND	ND	0.02748/0.23692	N/A
Δ ⁹ -THC	0.68384 %	6.8384 mg/g	0.0199/0.23692	N/A
THCA	26.38748 %	263.8748 mg/g	0.01422/0.23692	N/A
THCV	ND	ND	0.01564/0.23692	N/A
THCVA	0.13206 %	1.3206 mg/g	0.0109/0.23692	N/A
TOT THC **	23.82566 %	238.2566 mg/g		N/A
TOT CBD **	0.09287 %	0.9287 mg/g		N/A

** TOTAL THC = (THCA X 0.877) + THC
 ** TOTAL CBD = (CBDA X 0.877) + CBD
 DRY-WEIGHT AMOUNTS SHOWN

TERPENOID TESTING BY HS-GC/FID

ANALYTE	AMT	AMT	LOD/LOQ ()	PASS/FAIL
TOTAL TERPENES	ND	ND		N/A
α-PINENE	NT	NT		N/A
CAMPHERE	NT	NT		N/A
β-PINENE	NT	NT		N/A
β-MYRCENE	NT	NT		N/A
Δ ³ -CARENE	NT	NT		N/A
α-TERPINENE	NT	NT		N/A
D-LIMONENE	NT	NT		N/A
P-CYMENE	NT	NT		N/A
α-OCIMENE	NT	NT		N/A
β-OCIMENE	NT	NT		N/A
γ-TERPINENE	NT	NT		N/A
TERPINOLENE	NT	NT		N/A
LINALOOL	NT	NT		N/A
ISOPULEGOL	NT	NT		N/A
GERANIOL	NT	NT		N/A
β-CARYOPHYLLENE	NT	NT		N/A
α-HUMULENE	NT	NT		N/A
CIS-NEROLIDOL	NT	NT		N/A
TRANS-NEROLIDOL	NT	NT		N/A
GUAJOL	NT	NT		N/A
α-BISABOLOL	NT	NT		N/A
1,8-CINEOLE *	NT	NT		N/A

* BEYOND SCOPE OF ACCREDITATION

SAMPLE WAS TESTED AS RECEIVED. ALL LQC SAMPLES REQUIRED BY SECTION 5730 OF CALIFORNIA CODE OF REGULATIONS TITLE 16 DIVISION 42 BUREAU OF CANNABIS CONTROL WERE PERFORMED AND MET THE ACCEPTANCE CRITERIA.

RESULTS CERTIFIED BY: RON BROOKS, M.S.
 LABORATORY DIRECTOR, BELCOSTA LABS
 JUL 25, 2021



BCL-13: PESTICIDE TESTING BY GC/MS // JUL 24, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CAPTAN	0.7 µg/g	ND	0.01977/0.06	PASS
CHLORDANE	Any amt	ND		PASS
CHLORDANE CIS		ND	0.01199/0.03	N/A
CHLORDANE TRANS		ND	0.01082/0.03	N/A
CHLORFENAPYR	Any amt	ND	0.01364/0.06	PASS

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CHLORPYRIFOS	Any amt	ND	0.01653/0.06	PASS
DICHLORVOS	Any amt	ND	0.01165/0.06	PASS
METHYL PARATHION	Any amt	ND	0.00851/0.06	PASS
PENTACHLORONI-TROBENZENE	0.1 µg/g	ND	0.01282/0.06	PASS

BCL-05: RESIDUAL PESTICIDE ANALYSIS BY LC-MS/MS ESI // JUL 24, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ABAMECTIN	0.1 µg/g	ND	0.01153/0.04	PASS
ACEPHATE	0.1 µg/g	ND	0.00368/0.02	PASS
ACEQUINOCYL	0.1 µg/g	ND	0.00417/0.02	PASS
ACETAMIPRID	0.1 µg/g	ND	0.00464/0.02	PASS
ALDICARB	Any amt	ND	0.01109/0.04	PASS
AZOXYSTROBIN	0.1 µg/g	ND	0.00639/0.02	PASS
BIFENAZATE	0.1 µg/g	ND	0.00355/0.02	PASS
BIFENTHRIN	3 µg/g	ND	0.00473/0.04	PASS
BOSCALID	0.1 µg/g	ND	0.00494/0.02	PASS
CARBARYL	0.5 µg/g	ND	0.00295/0.02	PASS
CARBOFURAN	Any amt	ND	0.00613/0.02	PASS
CHLORANTRANIL-IPROLE	10 µg/g	ND	0.00697/0.04	PASS
CLOFENTEZINE	0.1 µg/g	ND	0.0054/0.02	PASS
COUMAPHOS	Any amt	ND	0.00215/0.02	PASS
CYFLUTHRIN	2 µg/g	ND	0.05508/0.2	PASS
CYPERMETHRIN	1 µg/g	ND	0.00556/0.04	PASS
DAMINOZIDE	Any amt	ND	0.00227/0.04	PASS
DIAZINON	0.1 µg/g	ND	0.00487/0.02	PASS
DIMETHOATE	Any amt	ND	0.00354/0.02	PASS
DIMETHOMORPH	2 µg/g	ND		PASS
DIMETHOMORPH I		ND	0.00109/0.0078	N/A
DIMETHOMORPH II		ND	0.0015/0.0122	N/A
ETHOPROPHOS	Any amt	ND	0.0041/0.02	PASS
ETOFENPROX	Any amt	ND	0.00274/0.02	PASS
ETOXAZOLE	0.1 µg/g	ND	0.00385/0.02	PASS
FENHEXAMID	0.1 µg/g	ND	0.01055/0.02	PASS
FENOXYCARB	Any amt	ND	0.00175/0.02	PASS
FENPYROXIMATE	0.1 µg/g	ND	0.00481/0.02	PASS
FIPRONIL	Any amt	ND	0.00478/0.02	PASS
FLONICAMID	0.1 µg/g	ND	0.00398/0.02	PASS
FLUDIOXONIL	0.1 µg/g	ND	0.01369/0.04	PASS
HEXYTHIAZOX	0.1 µg/g	ND	0.00297/0.02	PASS
IMAZALIL	Any amt	ND	0.0056/0.02	PASS
IMIDACLOPRID	5 µg/g	ND	0.00645/0.02	PASS
KRESOXIM-METHYL	0.1 µg/g	ND	0.00339/0.02	PASS

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
MALATHION	0.5 µg/g	ND	0.00472/0.02	PASS
METALAXYL	2 µg/g	ND	0.00503/0.02	PASS
METHIOCARB	Any amt	ND	0.00503/0.02	PASS
METHOMYL	1 µg/g	ND	0.00494/0.02	PASS
MEVINPHOS	Any amt	ND		PASS
MEVINPHOS I		ND	0.00163/0.0084	N/A
MEVINPHOS II		ND	0.00542/0.0316	N/A
MYCLOBUTANIL	0.1 µg/g	ND	0.00867/0.04	PASS
NALED	0.1 µg/g	ND	0.00328/0.02	PASS
OXAMYL	0.5 µg/g	ND	0.00455/0.02	PASS
PACLOBUTRAZOL	Any amt	ND	0.00714/0.04	PASS
PERMETHRIN	0.5 µg/g	ND		PASS
PERMETHRIN CIS		ND	0.00237/0.0082	N/A
PERMETHRIN TRANS		ND	0.00245/0.0118	N/A
PHOSMET	0.1 µg/g	ND	0.0043/0.02	PASS
PIPERONYLBUTOXIDE	3 µg/g	ND	0.00247/0.02	PASS
PRALLETHRIN	0.1 µg/g	ND	0.00392/0.02	PASS
PROPICONAZOLE	0.1 µg/g	ND	0.0024/0.02	PASS
PROPOXUR	Any amt	ND	0.00374/0.02	PASS
PYRETHRINS	0.5 µg/g	ND	0.00726/0.04	PASS
PYRIDABEN	0.1 µg/g	ND	0.0034/0.02	PASS
SPINETORAM	0.1 µg/g	ND		PASS
SPINETORAM J		ND	0.00329/0.016	N/A
SPINETORAM L		ND	0.00157/0.016	N/A
SPINOSAD	0.1 µg/g	ND		PASS
SPINOSAD A		ND	0.00205/0.01438	N/A
SPINOSAD D		ND	0.00104/0.00498	N/A
SPIROMESIFEN	0.1 µg/g	ND	0.00944/0.04	PASS
SPIROTETRAMAT	0.1 µg/g	ND	0.00208/0.02	PASS
SPIROXAMINE	Any amt	ND	0.00344/0.02	PASS
TEBUCONAZOLE	0.1 µg/g	ND	0.00816/0.04	PASS
THIACLOPRID	Any amt	ND	0.0039/0.02	PASS
THIAMETHOXAM	5 µg/g	ND	0.00358/0.02	PASS
TRIFLOXYSTROBIN	0.1 µg/g	ND	0.00421/0.02	PASS



BCL-07: FOREIGN MATERIAL TESTING BY MICROSCOPY // JUL 23, 2021

ANALYTE	LIMIT	AMT (%)	PASS/FAIL
IMBEDDED FOREIGN MATERIAL	25 %	ND	PASS
INSECT FRAGMENTS, HAIR, MAMMAL EXCREMENT	1 Unit	ND	PASS
MOLD	25 %	ND	PASS
SAND, SOIL, CINDERS, DIRT	25 %	ND	PASS

BCL-020: HEAVY METAL TESTING BY ICP-MS // JUL 23, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ARSENIC	0.2 µg/g	< LOQ	0.001/0.05	PASS
CADMIUM	0.2 µg/g	< LOQ	0.0002/0.05	PASS
LEAD	0.5 µg/g	< LOQ	0.0003/0.05	PASS
MERCURY	0.1 µg/g	< LOQ	0.0001/0.01	PASS

BCL-12: WATER ACTIVITY BY HUMIDITY EQUILIBRIUM // JUL 23, 2021

ANALYTE	LIMIT	AMT (Aw)	PASS/FAIL
WATER ACTIVITY	0.65 Aw	0.62	PASS

BCL-06: MICROBIOLOGICAL ANALYSIS BY QPCR // JUL 24, 2021

ANALYTE	LIMIT	AMT (CFU)	PASS/FAIL
ASPERGILLUS FLAVUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS FUMIGATUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS NIGER	Any amt in 1 gram	ND	PASS
ASPERGILLUS TERREUS	Any amt in 1 gram	ND	PASS
ESCHERICHIA COLI	Any amt in 1 gram	ND	PASS
SALMONELLA SPP.	Any amt in 1 gram	ND	PASS

BCL-11: MYCOTOXIN TESTING BY LC-MS/MS // JUL 24, 2021

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	0.23/4	N/A
AFLATOXIN B2		ND	0.181/4	N/A
AFLATOXIN G1		ND	0.155/4	N/A
AFLATOXIN G2		ND	0.934/4	N/A
AFLATOXINS	20 µg/kg	ND		PASS
OCHRATOXIN A	20 µg/kg	ND	0.385/4	PASS

BCL-02: MOISTURE CONTENT BY GRAVIMETRY // JUL 23, 2021

ANALYTE	LIMIT	AMT (%)	PASS/FAIL
MOISTURE		12.20	N/A

