

CERTIFICATE OF ANALYSIS

PRODUCED: SEP 02, 2021

SAMPLE: TROPIC HEAT (FLOWER) // CLIENT: GLASS HOUSE BRANDS // BATCH: PASS



BATCH NO.: GHFT0831SMOZ
MATRIX: FLOWER
CATEGORY: INHALABLE
SAMPLE ID: BCL-210831-114
COLLECTED ON: AUG 31, 2021
RECEIVED ON: AUG 31, 2021
BATCH/SAMPLE SIZE: 22679.6 G / 80 G

CANNABINOID OVERVIEW	
TOTAL THC:	25.50068 %
TOTAL CBD:	0.06891 %
TOTAL CANNABINOIDS:	31.43968 %

CULTIVATOR INFO

CULTIVATOR
 MISSION HEALTH ASSOCIATES, INC.
 5601 CASITAS PASS RD
 CARPENTERIA, CA 93013

LICENSE
 CCL18-0003034
 ADULT-USE - CULTIVATOR LICENSE

DISTRIBUTOR INFO

DISTRIBUTOR
 CA MANUFACTURING SOLUTIONS, LLC
 1637 W CENTRAL AVE
 LOMPOC, CA 93436

LICENSE
 C11-0000031-LIC
 ADULT-USE AND MEDICINAL -
 DISTRIBUTOR LICENSE

POTENCY

TERP

PEST PASS

MOIST

MICRO PASS

MYCO PASS

METALS PASS

WATER PASS

FOREIGN PASS

BCL-03: CANNABINOID POTENCY BY HPLC-UV // SEP 02, 2021

ANALYTE	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
CBC	< LOQ	< LOQ	0.01096/0.2491	N/A
CBCA	0.23866 %	2.3866 mg/g	0.03139/0.2491	N/A
CBD	ND	ND	0.01544/0.2491	N/A
CBDA	0.07857 %	0.7857 mg/g	0.00797/0.2491	N/A
CBDV	ND	ND	0.01196/0.2491	N/A
CBDVA	ND	ND	0.00797/0.2491	N/A
CBG	0.14260 %	1.4260 mg/g	0.01445/0.2491	N/A
CBGA	1.86063 %	18.6063 mg/g	0.00996/0.2491	N/A
CBN	ND	ND	0.00797/0.2491	N/A
Δ ⁸ -THC	ND	ND	0.0289/0.2491	N/A
Δ ⁹ -THC	0.96345 %	9.6345 mg/g	0.02092/0.2491	N/A
THCA	27.97860 %	279.7860 mg/g	0.01495/0.2491	N/A
THCV	ND	ND	0.01644/0.2491	N/A
THCVA	0.17717 %	1.7717 mg/g	0.01146/0.2491	N/A
TOT THC **	25.50068 %	255.0068 mg/g		N/A
TOT CBD **	0.06891 %	0.6891 mg/g		N/A

** TOTAL THC = (THCA X 0.877) + THC
 ** TOTAL CBD = (CBDA X 0.877) + CBD
 DRY-WEIGHT AMOUNTS SHOWN

BCL-09: TERPENOID TESTING BY HS-GC/FID // SEP 02, 2021

ANALYTE	AMT	AMT	LOD/LOQ (µg/g)	PASS/FAIL
TOTAL TERPENES	1.69044 %	16.9044 mg/g		N/A
β-CARYOPHYLLENE	0.81183 %	8.1183 mg/g	1.90991/139.22037	N/A
α-HUMULENE	0.26883 %	2.6883 mg/g	0.46685/139.22037	N/A
D-LIMONENE	0.18829 %	1.8829 mg/g	0.24932/139.22037	N/A
LINALOOL	0.16377 %	1.6377 mg/g	0.369/139.22037	N/A
β-MYRCENE	0.13040 %	1.3040 mg/g	0.37843/139.22037	N/A
GUAIOL	0.07645 %	0.7645 mg/g	2.71978/139.22037	N/A
β-PINENE	0.03049 %	0.3049 mg/g	2.25385/139.22037	N/A
α-PINENE	0.02038 %	0.2038 mg/g	0.21494/139.22037	N/A
CAMPHERE	< LOQ	< LOQ	0.21621/139.22037	N/A
GERANIOL	ND	ND	0.29009/139.22037	N/A
P-CYMENE	ND	ND	0.27131/139.22037	N/A
ISOPULEGOL	ND	ND	0.54302/139.22037	N/A
α-BISABOLOL	ND	ND	4.3412/139.22037	N/A
γ-TERPINENE	ND	ND	0.46991/139.22037	N/A
EUCALYPTOL	ND	ND	0.46614/139.22037	N/A
Δ ³ -CARENE	ND	ND	0.45884/139.22037	N/A
β-OCIMENE	ND	ND	0.49841/96.06205	N/A
α-TERPINENE	ND	ND	0.29945/139.22037	N/A
α-OCIMENE	ND	ND	1.34413/43.15831	N/A
TERPINOLENE	ND	ND	0.29444/139.22037	N/A

RESULTS CERTIFIED BY: CODY SHEPPARD, PH.D.
 LABORATORY DIRECTOR, BELCOSTA LABS
 SEP 02, 2021

SAMPLE WAS TESTED AS RECEIVED. ALL LQC SAMPLES REQUIRED BY SECTION 15730 OF CALIFORNIA CODE OF REGULATIONS TITLE 4 DIVISION 19 DEPARTMENT OF CANNABIS CONTROL WERE PERFORMED AND MET THE ACCEPTANCE CRITERIA.



REGULATORY COMPLIANCE TESTING

BCL-05: RESIDUAL PESTICIDE ANALYSIS BY LC-MS/MS ESI // SEP 02, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ABAMECTIN	0.1 µg/g	ND	0.01153/0.04	PASS	MALATHION	0.5 µg/g	ND	0.00472/0.02	PASS
ACEPHATE	0.1 µg/g	ND	0.00368/0.02	PASS	METALAXYL	2 µg/g	ND	0.00503/0.02	PASS
ACEQUINOCYL	0.1 µg/g	ND	0.00417/0.02	PASS	METHIOCARB	Any amt	ND	0.00503/0.02	PASS
ACETAMIPRID	0.1 µg/g	ND	0.00464/0.02	PASS	METHOMYL	1 µg/g	ND	0.00494/0.02	PASS
ALDICARB	Any amt	ND	0.01109/0.04	PASS	MEVINPHOS	Any amt	ND		PASS
AZOXYSTROBIN	0.1 µg/g	ND	0.00639/0.02	PASS	MEVINPHOS I		ND	0.00163/0.0084	N/A
BIFENAZATE	0.1 µg/g	ND	0.00355/0.02	PASS	MEVINPHOS II		ND	0.00542/0.0316	N/A
BIFENTHRIN	3 µg/g	ND	0.00473/0.04	PASS	MYCLOBUTANIL	0.1 µg/g	ND	0.00867/0.04	PASS
BOSCALID	0.1 µg/g	ND	0.00494/0.02	PASS	NALED	0.1 µg/g	ND	0.00328/0.02	PASS
CARBARYL	0.5 µg/g	ND	0.00295/0.02	PASS	OXAMYL	0.5 µg/g	ND	0.00455/0.02	PASS
CARBOFURAN	Any amt	ND	0.00613/0.02	PASS	PACLOBUTRAZOL	Any amt	ND	0.00714/0.04	PASS
CHLORANTRANIL-IPROLE	10 µg/g	ND	0.00697/0.04	PASS	PERMETHRIN	0.5 µg/g	ND		PASS
CLOFENTEZINE	0.1 µg/g	ND	0.0054/0.02	PASS	PERMETHRIN CIS		ND	0.00237/0.0082	N/A
COUMAPHOS	Any amt	ND	0.00215/0.02	PASS	PERMETHRIN TRANS		ND	0.00245/0.0118	N/A
CYFLUTHRIN	2 µg/g	ND	0.05508/0.2	PASS	PHOSMET	0.1 µg/g	ND	0.0043/0.02	PASS
CYPERMETHRIN	1 µg/g	ND	0.00556/0.04	PASS	PIPERONYLBUTOXIDE	3 µg/g	ND	0.00247/0.02	PASS
DAMINOZIDE	Any amt	ND	0.00227/0.04	PASS	PRALLETHRIN	0.1 µg/g	ND	0.00392/0.02	PASS
DIAZINON	0.1 µg/g	ND	0.00487/0.02	PASS	PROPICONAZOLE	0.1 µg/g	ND	0.0024/0.02	PASS
DIMETHOATE	Any amt	ND	0.00354/0.02	PASS	PROPOXUR	Any amt	ND	0.00374/0.02	PASS
DIMETHOMORPH	2 µg/g	ND		PASS	PYRETHRINS	0.5 µg/g	ND	0.00726/0.04	PASS
DIMETHOMORPH I		ND	0.00109/0.0078	N/A	PYRIDABEN	0.1 µg/g	ND	0.0034/0.02	PASS
DIMETHOMORPH II		ND	0.0015/0.0122	N/A	SPINETORAM	0.1 µg/g	ND		PASS
ETHOPROPHOS	Any amt	ND	0.0041/0.02	PASS	SPINETORAM J		ND	0.00329/0.016	N/A
ETOFENPROX	Any amt	ND	0.00274/0.02	PASS	SPINETORAM L		ND	0.00157/0.016	N/A
ETOXAZOLE	0.1 µg/g	ND	0.00385/0.02	PASS	SPINOSAD	0.1 µg/g	ND		PASS
FENHEXAMID	0.1 µg/g	ND	0.01055/0.02	PASS	SPINOSAD A		ND	0.00205/0.01438	N/A
FENOXYCARB	Any amt	ND	0.00175/0.02	PASS	SPINOSAD D		ND	0.00104/0.00498	N/A
FENPYROXIMATE	0.1 µg/g	ND	0.00481/0.02	PASS	SPIROMESIFEN	0.1 µg/g	ND	0.00944/0.04	PASS
FIPRONIL	Any amt	ND	0.00478/0.02	PASS	SPIROTETRAMAT	0.1 µg/g	ND	0.00208/0.02	PASS
FLONICAMID	0.1 µg/g	ND	0.00398/0.02	PASS	SPIROXAMINE	Any amt	ND	0.00344/0.02	PASS
FLUDIOXONIL	0.1 µg/g	ND	0.01369/0.04	PASS	TEBUCONAZOLE	0.1 µg/g	ND	0.00816/0.04	PASS
HEXYTHIAZOX	0.1 µg/g	ND	0.00297/0.02	PASS	THIACLOPRID	Any amt	ND	0.0039/0.02	PASS
IMAZALIL	Any amt	ND	0.0056/0.02	PASS	THIAMETHOXAM	5 µg/g	ND	0.00358/0.02	PASS
IMIDACLOPRID	5 µg/g	ND	0.00645/0.02	PASS	TRIFLOXYSTROBIN	0.1 µg/g	ND	0.00421/0.02	PASS
KRESOXIM-METHYL	0.1 µg/g	ND	0.00339/0.02	PASS					

BCL-13: PESTICIDE TESTING BY GC/MS // SEP 02, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CAPTAN	0.7 µg/g	ND	0.01977/0.06	PASS	CHLORPYRIFOS	Any amt	ND	0.01653/0.06	PASS
CHLORDANE	Any amt	ND		PASS	DICHLORVOS	Any amt	ND	0.01165/0.06	PASS
CHLORDANE CIS		ND	0.01199/0.03	N/A	METHYL PARATHION	Any amt	ND	0.00851/0.06	PASS
CHLORDANE TRANS		ND	0.01082/0.03	N/A	PENTACHLORONI-TROBENZENE	0.1 µg/g	ND	0.01282/0.06	PASS
CHLORFENAPYR	Any amt	ND	0.01364/0.06	PASS					



BCL-07: FOREIGN MATERIAL TESTING BY MICROSCOPY // AUG 31, 2021

ANALYTE	LIMIT	AMT (%)	PASS/FAIL
IMBEDDED FOREIGN MATERIAL	25 %	ND	PASS
INSECT FRAGMENTS, HAIR, MAMMAL EXCREMENT	1 Unit	ND	PASS
MOLD	25 %	ND	PASS
SAND, SOIL, CINDERS, DIRT	25 %	ND	PASS

BCL-020: HEAVY METAL TESTING BY ICP-MS // SEP 01, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ARSENIC	0.2 µg/g	< LOQ	0.001/0.05	PASS
CADMIUM	0.2 µg/g	< LOQ	0.0002/0.05	PASS
LEAD	0.5 µg/g	< LOQ	0.0003/0.05	PASS
MERCURY	0.1 µg/g	< LOQ	0.0001/0.01	PASS

BCL-12: WATER ACTIVITY BY HUMIDITY EQUILIBRIUM // SEP 02, 2021

ANALYTE	LIMIT	AMT (Aw)	PASS/FAIL
WATER ACTIVITY	0.65 Aw	0.57	PASS

BCL-06: MICROBIOLOGICAL ANALYSIS BY QPCR // SEP 02, 2021

ANALYTE	LIMIT	AMT (CFU)	PASS/FAIL
ASPERGILLUS FLAVUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS FUMIGATUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS NIGER	Any amt in 1 gram	ND	PASS
ASPERGILLUS TERREUS	Any amt in 1 gram	ND	PASS
ESCHERICHIA COLI	Any amt in 1 gram	ND	PASS
SALMONELLA SPP.	Any amt in 1 gram	ND	PASS

BCL-11: MYCOTOXIN TESTING BY LC-MS/MS // SEP 02, 2021

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	0.23/4	N/A
AFLATOXIN B2		ND	0.181/4	N/A
AFLATOXIN G1		ND	0.155/4	N/A
AFLATOXIN G2		ND	0.934/4	N/A
AFLATOXINS	20 µg/kg	ND		PASS
OCHRATOXIN A	20 µg/kg	ND	0.385/4	PASS

BCL-02: MOISTURE CONTENT BY GRAVIMETRY // SEP 01, 2021

ANALYTE	LIMIT	AMT (%)	PASS/FAIL
MOISTURE		13.70	N/A

