

CERTIFICATE OF ANALYSIS

PRODUCED: NOV 15, 2021

SAMPLE: BUBBA DIAGONAL (PRE-ROLL) // CLIENT: ALKHEMIST DM LLC // BATCH: PASS



BATCH NO.: GHFBUD1105PR
METRC UID: 1A406030000A423000004011
MATRIX: PRE-ROLL
CATEGORY: INHALABLE
SAMPLE ID: BCL-211112-248
COLLECTED ON: NOV 12, 2021
RECEIVED ON: NOV 12, 2021
BATCH/SAMPLE SIZE: 1900 UNITS / 13 UNITS
PACKAGE SIZE: 1 G

CANNABINOID OVERVIEW

TOTAL THC:	22.53181 %
TOTAL CBD:	0.05245 %
TOTAL CANNABINOIDS:	26.34592 %

MANUFACTURER INFO

MANUFACTURER
 MISSION HEALTH ASSOCIATES, INC
 5601 CASITAS PASS RD
 CARPINTERIA, CA 93013

LICENSE
 CCL18-0003034
 ADULT-USE - CULTIVATOR LICENSE

DISTRIBUTOR INFO

DISTRIBUTOR
 ALKHEMIST DM LLC
 1370 ESPERANZA ST, SUITE B
 LOS ANGELES, CA 90023

LICENSE
 C11-0000751-LIC
 ADULT-USE AND MEDICINAL -
 DISTRIBUTOR LICENSE

BCL-03: CANNABINOID POTENCY BY HPLC-UV // NOV 14, 2021

ANALYTE	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
CBC	0.03611 %	0.3611 mg/g	0.01093/0.24846	N/A
CBCA	0.29071 %	2.9071 mg/g	0.03131/0.24846	N/A
CBD	ND	ND	0.0154/0.24846	N/A
CBDA	0.05981 %	0.5981 mg/g	0.00795/0.24846	N/A
CBDV	ND	ND	0.01193/0.24846	N/A
CBDVA	ND	ND	0.00795/0.24846	N/A
CBG	0.08741 %	0.8741 mg/g	0.01441/0.24846	N/A
CBGA	0.38470 %	3.8470 mg/g	0.00994/0.24846	N/A
CBN	ND	ND	0.00795/0.24846	N/A
Δ ⁸ -THC	ND	ND	0.02882/0.24846	N/A
Δ ⁹ -THC	2.07934 %	20.7934 mg/g	0.02087/0.24846	N/A
THCA	23.32095 %	233.2095 mg/g	0.01491/0.24846	N/A
THCV	ND	ND	0.0164/0.24846	N/A
THCVA	0.08689 %	0.8689 mg/g	0.01143/0.24846	N/A
TOT THC **	22.53181 %	225.3181 mg/g		N/A
TOT CBD **	0.05245 %	0.5245 mg/g		N/A
CBD/PKG	ND			N/A
Δ ⁹ -THC/PKG	20.79 mg			N/A
TOT CBD/PKG **	0.52 mg			N/A
TOT THC/PKG **	225.32 mg			N/A

BCL-09: TERPENOID TESTING BY HS-GC/FID // NOV 15, 2021

ANALYTE	AMT	AMT	LOD/LOQ (µg/g)	PASS/FAIL
TOTAL TERPENES	1.12449 %	11.2449 mg/g		N/A
β-CARYOPHYLLENE	0.33841 %	3.3841 mg/g	1.78495/130.11152	N/A
LINALOOL	0.20703 %	2.0703 mg/g	0.34486/130.11152	N/A
β-MYRCENE	0.16507 %	1.6507 mg/g	0.35367/130.11152	N/A
D-LIMONENE	0.16361 %	1.6361 mg/g	0.233/130.11152	N/A
α-HUMULENE	0.13543 %	1.3543 mg/g	0.4363/130.11152	N/A
α-BISABOLOL	0.07671 %	0.7671 mg/g	4.05716/130.11152	N/A
β-PINENE	0.02252 %	0.2252 mg/g	2.10639/130.11152	N/A
GERANIOL	0.01571 %	0.1571 mg/g	0.27111/130.11152	N/A
α-PINENE	< LOQ	< LOQ	0.20088/130.11152	N/A
α-TERPINENE	ND	ND	0.27986/130.11152	N/A
β-OCIMENE	ND	ND	0.4658/89.77695	N/A
CAMPHERE	ND	ND	0.20206/130.11152	N/A
Δ ³ -CARENE	ND	ND	0.42882/130.11152	N/A
EUCALYPTOL	ND	ND	0.43564/130.11152	N/A
γ-TERPINENE	ND	ND	0.43917/130.11152	N/A
GUAJOL	ND	ND	2.54183/130.11152	N/A
ISOPULEGOL	ND	ND	0.50749/130.11152	N/A
α-OCIMENE	ND	ND	1.25619/40.33457	N/A
P-CYMENE	ND	ND	0.25356/130.11152	N/A
TERPINOLENE	ND	ND	0.27517/130.11152	N/A

** TOTAL CBD = (CBDA X 0.877) + CBD
 ** TOTAL THC = (THCA X 0.877) + THC
 DRY-WEIGHT AMOUNTS SHOWN

SAMPLE WAS TESTED AS RECEIVED. ALL LQC SAMPLES REQUIRED BY SECTION 15730 OF CALIFORNIA CODE OF REGULATIONS TITLE 4 DIVISION 19 DEPARTMENT OF CANNABIS CONTROL WERE PERFORMED AND MET THE ACCEPTANCE CRITERIA.

RESULTS CERTIFIED BY: CODY SHEPPARD, PH.D.
 LABORATORY DIRECTOR, BELCOSTA LABS
 NOV 15, 2021



REGULATORY COMPLIANCE TESTING

BCL-05: RESIDUAL PESTICIDE ANALYSIS BY LC-MS/MS ESI // NOV 15, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ABAMECTIN	0.1 µg/g	ND	0.01153/0.04	PASS	MALATHION	0.5 µg/g	ND	0.00472/0.02	PASS
ACEPHATE	0.1 µg/g	ND	0.00368/0.02	PASS	METALAXYL	2 µg/g	ND	0.00503/0.02	PASS
ACEQUINOCYL	0.1 µg/g	ND	0.00417/0.02	PASS	METHIOCARB	Any amt	ND	0.00503/0.02	PASS
ACETAMIPRID	0.1 µg/g	ND	0.00464/0.02	PASS	METHOMYL	1 µg/g	ND	0.00494/0.02	PASS
ALDICARB	Any amt	ND	0.01109/0.04	PASS	MEVINPHOS	Any amt	ND		PASS
AZOXYSTROBIN	0.1 µg/g	ND	0.00639/0.02	PASS	MEVINPHOS I		ND	0.00163/0.0084	N/A
BIFENAZATE	0.1 µg/g	ND	0.00355/0.02	PASS	MEVINPHOS II		ND	0.00542/0.0316	N/A
BIFENTHRIN	3 µg/g	ND	0.00473/0.04	PASS	MYCLOBUTANIL	0.1 µg/g	ND	0.00867/0.04	PASS
BOSCALID	0.1 µg/g	ND	0.00494/0.02	PASS	NALED	0.1 µg/g	ND	0.00328/0.02	PASS
CARBARYL	0.5 µg/g	ND	0.00295/0.02	PASS	OXAMYL	0.5 µg/g	ND	0.00455/0.02	PASS
CARBOFURAN	Any amt	ND	0.00613/0.02	PASS	PACLOBUTRAZOL	Any amt	ND	0.00714/0.04	PASS
CHLORANTRANIL-IPROLE	10 µg/g	ND	0.00697/0.04	PASS	PERMETHRIN	0.5 µg/g	ND		PASS
CLOFENTEZINE	0.1 µg/g	ND	0.0054/0.02	PASS	PERMETHRIN CIS		ND	0.00237/0.0082	N/A
COUMAPHOS	Any amt	ND	0.00215/0.02	PASS	PERMETHRIN TRANS		ND	0.00245/0.0118	N/A
CYFLUTHRIN	2 µg/g	ND	0.05508/0.2	PASS	PHOSMET	0.1 µg/g	ND	0.0043/0.02	PASS
CYPERMETHRIN	1 µg/g	ND	0.00556/0.04	PASS	PIPERONYLBUTOXIDE	3 µg/g	ND	0.00247/0.02	PASS
DAMINOZIDE	Any amt	ND	0.00227/0.04	PASS	PRALLETHRIN	0.1 µg/g	ND	0.00392/0.02	PASS
DIAZINON	0.1 µg/g	ND	0.00487/0.02	PASS	PROPICONAZOLE	0.1 µg/g	ND	0.0024/0.02	PASS
DIMETHOATE	Any amt	ND	0.00354/0.02	PASS	PROPOXUR	Any amt	ND	0.00374/0.02	PASS
DIMETHOMORPH	2 µg/g	ND		PASS	PYRETHRINS	0.5 µg/g	ND	0.00726/0.04	PASS
DIMETHOMORPH I		ND	0.00109/0.0078	N/A	PYRIDABEN	0.1 µg/g	ND	0.0034/0.02	PASS
DIMETHOMORPH II		ND	0.0015/0.0122	N/A	SPINETORAM	0.1 µg/g	ND		PASS
ETHOPROPHOS	Any amt	ND	0.0041/0.02	PASS	SPINETORAM J		ND	0.00329/0.016	N/A
ETOFENPROX	Any amt	ND	0.00274/0.02	PASS	SPINETORAM L		ND	0.00157/0.016	N/A
ETOXAZOLE	0.1 µg/g	ND	0.00385/0.02	PASS	SPINOSAD	0.1 µg/g	ND		PASS
FENHEXAMID	0.1 µg/g	ND	0.01055/0.02	PASS	SPINOSAD A		ND	0.00205/0.01438	N/A
FENOXYCARB	Any amt	ND	0.00175/0.02	PASS	SPINOSAD D		ND	0.00104/0.00498	N/A
FENPYROXIMATE	0.1 µg/g	ND	0.00481/0.02	PASS	SPIROMESIFEN	0.1 µg/g	ND	0.00944/0.04	PASS
FIPRONIL	Any amt	ND	0.00478/0.02	PASS	SPIROTETRAMAT	0.1 µg/g	ND	0.00208/0.02	PASS
FLONICAMID	0.1 µg/g	ND	0.00398/0.02	PASS	SPIROXAMINE	Any amt	ND	0.00344/0.02	PASS
FLUDIOXONIL	0.1 µg/g	ND	0.01369/0.04	PASS	TEBUCONAZOLE	0.1 µg/g	ND	0.00816/0.04	PASS
HEXYTHIAZOX	0.1 µg/g	ND	0.00297/0.02	PASS	THIACLOPRID	Any amt	ND	0.0039/0.02	PASS
IMAZALIL	Any amt	ND	0.0056/0.02	PASS	THIAMETHOXAM	5 µg/g	ND	0.00358/0.02	PASS
IMIDACLOPRID	5 µg/g	ND	0.00645/0.02	PASS	TRIFLOXYSTROBIN	0.1 µg/g	ND	0.00421/0.02	PASS
KRESOXIM-METHYL	0.1 µg/g	ND	0.00339/0.02	PASS					

BCL-13: PESTICIDE TESTING BY GC/MS // NOV 15, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CAPTAN	0.7 µg/g	ND	0.01977/0.06	PASS	CHLORPYRIFOS	Any amt	ND	0.01653/0.06	PASS
CHLORDANE	Any amt	ND		PASS	DICHLORVOS	Any amt	ND	0.01165/0.06	PASS
CHLORDANE CIS		ND	0.01199/0.03	N/A	METHYL PARATHION	Any amt	ND	0.00851/0.06	PASS
CHLORDANE TRANS		ND	0.01082/0.03	N/A	PENTACHLORONI-TROBENZENE	0.1 µg/g	ND	0.01282/0.06	PASS
CHLORFENAPYR	Any amt	ND	0.01364/0.06	PASS					



BCL-18: RESIDUAL SOLVENTS ANALYSIS BY HS-GC-MS // NOV 14, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
1,2-DICHLOROETHANE	1 µg/g	ND	0.14085/0.49132	PASS
ACETONE	5000 µg/g	ND	15.85326/49.132	PASS
ACETONITRILE	410 µg/g	ND	14.06813/49.132	PASS
BENZENE	1 µg/g	ND	0.06223/0.49132	PASS
BUTANE	5000 µg/g	ND	14.83459/49.132	PASS
CHLOROFORM	1 µg/g	ND	0.14412/0.49132	PASS
ETHANOL	5000 µg/g	ND	12.16181/49.132	PASS
ETHYL ACETATE	5000 µg/g	ND	15.01802/49.132	PASS
ETHYLENE OXIDE	1 µg/g	ND	0.15722/0.49132	PASS
ETHYL ETHER	5000 µg/g	ND	13.22961/49.132	PASS
HEPTANE	5000 µg/g	ND	11.5755/49.132	PASS
HEXANE	290 µg/g	ND	17.82181/81.88667	PASS
ISOPROPYL ALCOHOL	5000 µg/g	65.943	12.283/49.132	PASS
METHANOL	3000 µg/g	ND	11.01539/49.132	PASS
METHYLENE CHLORIDE	1 µg/g	ND	0.12447/0.49132	PASS
PENTANE	5000 µg/g	ND	27.08811/81.88667	PASS
PROPANE	5000 µg/g	ND	13.99607/49.132	PASS
TOLUENE	890 µg/g	ND	7.73338/49.132	PASS
TRICHLOROETHYLENE	1 µg/g	ND	0.06551/0.49132	PASS
O-XYLENE		ND	3.66197/24.566	N/A
P- AND M-XYLENE		ND	3.39338/24.566	N/A
TOTAL XYLENES	2170 µg/g	ND		PASS

BCL-11: MYCOTOXIN TESTING BY LC-MS/MS // NOV 15, 2021

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	0.23/4	N/A
AFLATOXIN B2		ND	0.181/4	N/A
AFLATOXIN G1		ND	0.155/4	N/A
AFLATOXIN G2		ND	0.934/4	N/A
AFLATOXINS	20 µg/kg	ND		PASS
OCHRATOXIN A	20 µg/kg	ND	0.385/4	PASS

BCL-12: WATER ACTIVITY BY HUMIDITY EQUILIBRIUM // NOV 13, 2021

ANALYTE	LIMIT	AMT (Aw)	PASS/FAIL
WATER ACTIVITY	0.65 Aw	0.48	PASS

BCL-07: FOREIGN MATERIAL TESTING BY MICROSCOPY // NOV 13, 2021

ANALYTE	LIMIT	AMT (%)	PASS/FAIL
IMBEDDED FOREIGN MATERIAL	25 %	ND	PASS
INSECT FRAGMENTS, HAIR, MAMMAL EXCREMENT	1 Unit	ND	PASS
MOLD	25 %	ND	PASS
SAND, SOIL, CINDERS, DIRT	25 %	ND	PASS

BCL-06: MICROBIOLOGICAL ANALYSIS BY QPCR // NOV 15, 2021

ANALYTE	LIMIT	AMT (CFU)	PASS/FAIL
ASPERGILLUS FLAVUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS FUMIGATUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS NIGER	Any amt in 1 gram	ND	PASS
ASPERGILLUS TERREUS	Any amt in 1 gram	ND	PASS
ESCHERICHIA COLI	Any amt in 1 gram	ND	PASS
SALMONELLA SPP.	Any amt in 1 gram	ND	PASS

BCL-020: HEAVY METAL TESTING BY ICP-MS // NOV 13, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ARSENIC	0.2 µg/g	< LOQ	0.001/0.05	PASS
CADMIUM	0.2 µg/g	< LOQ	0.0002/0.05	PASS
LEAD	0.5 µg/g	< LOQ	0.0003/0.05	PASS
MERCURY	0.1 µg/g	< LOQ	0.0001/0.01	PASS

BCL-02: MOISTURE CONTENT BY GRAVIMETRY // NOV 13, 2021

ANALYTE	LIMIT	AMT (%)	PASS/FAIL
MOISTURE		12.50	N/A

